Engineering in Medicine

Volume 15 1986

Author Index

Anania, G. Experimental arthrosis by hyperpressure, 67
Armstrong, C. G. An analysis of the stresses in a thin layer of articular cartilage in a synovial joint, 55
Atkinson, J. R. The role of cement in the long term performance and premature failure of Charnley low friction arthroplasties, 19
Auty, B. The DHSS evaluation programme for infusion control instruments, 175

Bahrani, A. S. The effects of hip prosthesis stem cross-sectional profile on the stresses induced in bone cement, 13
Bejui, J. Experimental arthrosis by hyperpressure, 67
Bentzen, Soren M. Remodelling of trabecular bone at the proximal tibia after total knee replacement. A CT-scan study, 89
Bird, H. A. A clinical review of hyperlaxity of joints with particular reference to osteoarthrosis, 81
Bleasel, K. F. The design and development of an irrigating sucking cutter for neurosurgical use, 9
Brunet, Michael E. Determination of the transverse centre of rotation of the knee using CAT scans, 143

Cannon, J. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Comtet, J. J. Experimental arthrosis by hyperpressure, 67
Cook, Stephen D. Determination of the transverse centre of rotation of the knee using CAT scans, 143
Cooke, P. H. Biomechanical compatibility of cruciate ligament prostheses, 95
Currey, J. D. Power law models for the mechanical properties of cancellous bone, 153
Cushnaghan, Janet Varus and valgus deformities of the knee joint: disease specific or biomechanical? 87

Derlien, M. L. The development and application of portable infusion devices, 191
Dieppe, Paul Varus and valgus deformities of the knee joint: disease specific or biomechanical? 87
Dowson, D.
Micro-elastohydrodynamic lubrication of synovial joints, 63
The role of cement in the long term performance and premature failure of Charnley low friction arthroplasties, 19
Duncan, J. P. Anatomical definition and modelling, 109
Duphil, R. Experimental arthrosis by hyperpressure, 67

Farmer, I. R.
Engineering design considerations of the ORLAU Swivel Walker, 3
Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123
Fawthrop, Fiona Varus and valgus deformities of the knee joint: disease specific or biomechanical? 87
Frey, O. Computer aided X-ray picture follow up of GSB knee prostheses, 23
Frost, R. B.
The design and development of an irrigating sucking cutter for neurosurgical use, 9
A stereotaxic device for the closed exchange of intramedullary rods, using image-intensified X-rays, in children with osteogenesis imperfecta, 131

Ghista, D. N. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Goodship, A. E. Biomechanical compatibility of cruciate ligament prostheses, 95
Gschwend, N. Computer aided X-ray picture follow up of GSB knee prostheses, 23

Haddad, Ray J. Determination of the transverse centre of rotation of the knee using CAT scans, 143
Harmand, M. F. Experimental arthrosis by hyperpressure, 67
Hillier, L. G. G. A stereotaxic device for the closed exchange of intramedullary rods, using image-intensified X-rays, in children with osteogenesis imperfecta, 131
Hvid, Ivan
Remodelling of trabecular bone at the proximal tibia after total knee replacement. A CT-scan study, 89
Load bearing capacity in total ankle joint replacement, 149

Ibiyemi, T. S. A novel data compression technique for electrocardiogram classification, 35
Isaac, G. H. The role of cement in the long term performance and premature failure of Charnley low friction arthroplasties, 19

James, W. V. The effects of hip prosthesis stem cross-sectional profile on the stresses induced in bone cement, 13
Jensen, N. C. Load bearing capacity in total ankle joint replacement, 149
Johnson, G. R.
The use of spectral analysis to assess the performance of shock absorbing footwear, 117
Bioengineering activities in the Department of Mechanical Engineering, University of Newcastle Upon Tyne, 155
Jones, N. Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123
Jorgenson, Jorgen Remodelling of trabecular bone at the proximal tibia after total knee replacement. A CT-scan study, 89

Kamath, M. V. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Kester, Mark A. Determination of the transverse centre of rotation of the knee using CAT scans, 143

Major, R. E.
Engineering design considerations of the ORLAU Swivel Walker, 3
Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123
Manning, C. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Middleton, R. W. D. A stereotaxic device for the closed exchange of intramedullary rods, using image-intensified X-rays, in children with osteogenesis imperfecta, 131
Mizrahi, J. Some gait characteristics of below-knee amputees and their reflection on the ground reaction forces, 27
Munzinger, U. Computer aided X-ray picture follow up of GSB knee prostheses, 23

© MEP Ltd 1987 Vol. 16, No. 2

Orr, J. F. The effects of hip prosthesis stem cross-sectional profile on the stresses induced in bone cement, 13

Peyron, Jaques G. Review of the main epidemiologic–etiologic evidence that implies mechanical forces as factors in osteoarthritis, 77
Pickup, John C. Continuous insulin infusion, 187
Poiner, R.
Engineering design considerations of the ORLAU Swivel Walker, 3
Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123

Rose, G. K. Engineering design considerations of the ORLAU Swivel Walker, 3
Roussouly, P. Experimental arthrosis by hyperpressure, 67
Routledge, P. A. Pharmacological principles of drug administration by intravenous infusion, 167

Scheier, H. Computer aided X-ray picture follow up of GSB knee prostheses, 23
Seliktar, R. Some gait characteristics of below-knee amputees and their reflection on the ground reaction forces, 27
Shue, Lily Varus and valgus deformities of the knee joint: disease specific or biomechanical? 87
Skinner, Harry B. Determination of the transverse centre of rotation of the knee using CAT scans, 143
Smeenk, S. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Srinivasan, T. M. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Stallard, J.
Engineering design considerations of the ORLAU Swivel Walker, 3
Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123
Sutherland, Ian Micrometering in medicine: an historical perspective, *facing* 166

Tomlinson, E. Site-specific drug carriers, 197

Wadham, Paul Syringe pump design, 171
Way, R. C. Detection of myocardial scars in neonatal infants using computerised echocardiographic texture analysis, 137
Whittle, M. W. Dynamic assessment of the knee joint function, 71
Wood, Suzanne R. Parenteral nutrition and infusion technology, 185
Wright, V. The biomechanics of osteoarthrosis (Conference report), 53
Wroblewski, B. M. The role of cement in the long term performance and premature failure of Charnley low friction arthroplasties, 19
Wu, C. Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Wyss, U. Computer aided X-ray picture follow up of GSB knee prostheses, 23

Zhong-min Jin, Micro-elastohydro-dynamic lubrication of synovial joints, 63

Subject Index

Titles of papers are shown in bold type

A clinical review of the hyperlaxity of joints with particular reference to osteoarthrosis, 81
A novel data compression technique for electrocardiogram classification, 35
A sterotaxic device for the closed exchange of intramedullary rods, using image-intensified X-rays, in children with osteogenesis imperfecta, 131
ACARD, 101
Air beds, 207
Amputees, below-knee, 27
An analysis of the stresses in a thin layer of articular cartilage in a synovial joint, 55
Anaesthesia equipment, 161
Anatomical definition and modelling, 109
Angiocardiographic equipment, 102
Ankle replacement, total, load bearing capacity in, 149
Arthroplasties, Charnley low friction, 19
Arthrosis, experimental, by hyperpressure, 67
Articular cartilage, 55
Artificial limbs, 46
Artificial respirator, 103
Audiometry, threshold, 159

Bedsteads for psychiatric hospitals, 39
Below-knee amputees, some gait characteristics of, 27
Bioengineering activities in the Department of Mechanical Engineering, University of Newcastle Upon Tyne, 155
Biomechanical compatibility of cruciate ligament prostheses, 95
Blood gas analysis, 163
Blood pressure monitor, non-invasive, 160
Bone:
cancellous, 153
trabecular, 89
Bone cement, 13, 19
'natural' non–toxic, 40
BS 3531: *Surgical implants,* 207
'Bridging the Gap'–two day conference on rehabilitation, 39

Cancellous bone, mechanical properties of, 153
Cartilage, articular, 55
CAT scans, 143
Charnley low friction arthroplasties, long term performance and premature failure of, 19
Clean air systems, 103
Closed exchange of intramedullary rods, 131
Computer aided X-ray picture follow up of GSB knee prostheses, 23
Computer-controlled nurse call system, 45
Computerised echocardiographic texture analysis, 137
Continuous insulin infusion, 187
Cruciate ligament prostheses, biomechanical compatibility of, 95
CT-scan, 89

Data compression technique, novel, for electrocardiogram classification, 35
Design Awards, 99
Detection of myocardial scars in neonatal infants from computerised echocardiographic texture analysis, 137
Determination of the transverse centre of rotation of the knee using CAT scans, 143
Drug administration by intravenous infusion, 167
Drug carriers, site-specific, 197
Dynamic assessment of knee joint function, 71

ECG monitor, 160
Echocardiographic texture analysis, computerised, 137
Echocardiographs, 204
Electrocardiogram classification, 35
Electrosurgery instruments, 160
ELVA, 160
Engineering design considerations of the ORLAU Parawalker and FES hybrid system, 123
Engineering design considerations of the ORLAU Swivel Walker, 3
Experimental arthrosis by hyperpressure, 67

False teeth, design of, 203
Foot defects, correction of, 46
Footwear, shock absorbing, 117

Gait characteristics, 27
Ground reaction forces, 27
GSB knee prosthesis, computer aided X-ray picture follow up of, 23

Hearing conservation, 159
Heat resistant plastic beakers, 104
Heat treatment of orthopaedic implants, 159
Hip joints, 40
replacement, 203

Engineering in Medicine © MEP Ltd 1987

Hip prosthesis stem cross-sectional profile, effects of, on the stresses induced in bone cement, 13
Hospitals, psychiatric, bedsteads for, 39
Hyperbaric oxygen therapy, 161
Hyperlaxity of joints, clinical review of, with particular reference to osteoarthrosis, 81
Hyperpressure, experimental arthrosis by, 67

Image analysis, 103
Infusion:
control instruments, 175
devices, 191
insulin, 187
intravenous, 167
technology, 185
Insulin infusion, 187
Intramedullary rods, 131
Intravenous infusion, 167
Irrigating sucking cutter for neurosurgical use, design and development of, 9

Joints:
hip, 46
hyperlaxity of, 81
knee, 71, 87
synovial, 55, 63

Knee, transverse centre of rotation of, 143
Knee joint, varus and valgus deformities of, 87
Knee joint function, assessment of, 71
Knee prosthesis, GSB, 23
Knee replacement, total, 89
Kidney stones, 204

Laser contact surgery, 205
Laser imager, 205
Laser surgery, new suction unit for, 101
Ligament, cruciate, 95
Limbs, artificial, 46
Load bearing capacity in total ankle replacement, 149
Long term performance and premature failure of Charnley low friction arthroplasties, role of cement in, 19
Low-temperature therapy system, 45

Mechanical forces as factors in osteoarthrosis, 77
Mechanical properties of cancellous bone, Power Law models for, 153
Medic Design Awards, 41
Medical equipment, sterilisation case for, 206
Medical gas pipeline test equipment, 43
Medical imaging cameras, special format, 44
Medical thermometer, 206
Medical ultrasound equipment, calibration of, 163
Micro-elastohydrodynamic lubrication in synovial joints, 63
Micrometering in medicine: an historical perspective, *facing* 166

Modelling, anatomical definition and, 109
Monitor:
ECG, 160
blood pressure, 160
Myocardial scars in neonatal infants, 137

Neonatal infants, myocardial scars in, 137
Neuromuscular stimulation, 162
Neurosurgery, irrigating sucking cutter for, 9
Newcastle Upon Tyne, University of, 155
North Staffordshire Polytechnic, 39
Nurse call system, computer-controlled, 45

Operating table transfer system, 45
ORLAU Parawalker, 123
ORLAU Swivel Walker
Orthopaedic implants, heat treatment of, 159
Orthotic Research and Locomotor Assessment Unit (ORLAU), 3, 123
Osteoarthritis, 77
Osteoarthrosis, 81
biomechanics of, 56
Osteogenesis imperfecta, 131

Pacemaker, trans-thoracic, 43
Parenteral nutrition and infusion technology, 185
Pharmacological principles of drug administration by intravenous infusion, 167
Phototherapy, 162
Plastic beaker, heat resistant, 104
Portable infusion devices, 191
Power Law models for the mechanical properties of cancellous bone, 153
Prostheses:
cruciate ligament, 95
hip, 13
knee, 23
Proximal tibia, 89
Psychiatric hospitals, bedsteads for, 39

Rank Prize Funds, 205
Rehabilitation, two-day conference on, 39
Remodelling of trabecular bone at the proximal tibia after total knee replacement. A CT-scan study, 89
Respirator, 103
Review of the main epidemiologic–etiologic evidence that implies mechanical forces as factors in osteoarthritis, 77

Shock absorbing footwear, performance of, 117
Site-specific drug carriers, 197
Skeleton, paper, 104
Some gait characterics of below-knee amputees and their reflection on the ground reaction forces, 27
Spectral analysis, 117
Spectrofluorophotometer, 102

Spinal research, 39
Splinting materials, thermoplastic, 104
Stereotaxic device for the closed exchange of intramedullary rods, 131
Sterilisation case for medical equipment, 206
Stress in a thin layer of articular cartilage in a synovial joint, 55
Suction unit for laser surgery, 101
Surgical implants (BS 3531), 207
Surgical instruments, 101
Synovial joints, 55
micro-elastohydrodynamic lubrication in, 63
Syrings pump design, 171

The biomechanics of orteoarthrosis (Conference Report), 53
The design and development of an irrigating sucking cutter for neurosurgical use, 9
The development and application of portable infusion devices, 191
The DHSS evaluation programme for infusion control instruments, 175
The effects of hip prosthesis stem cross-sectional profile on the stresses induced in bone cement, 13
The role of cement in the long term performance and premature failure of Charnley low friction arthroplasties, 19
The use of spectral analysis to assess the performance of shock absorbing footwear, 117
Therapeutic ultrasound, 162
Thermoplastic splinting materials, 104
'Third eye' research, 46
Threshold audiometry, 159
Total ankle replacement, load bearing capacity in, 149
Total knee replacement, remodelling of trabecular bone at the proximal tibia after, 89
Trabecular bone 89
Tracheal tubes, 159
Trans-thoracic pacemaker, 43
Transverse centre of rotation of the knee, determination of, 143

Ultrasound, therapeutic, 162
Ultrasound equipment, medical, calibration of, 163

Varus and valgus deformities of the knee joint: disease specific or biomechanical? 87

X-rays, 23
image intensified, 131

© MEP Ltd 1987 Vol. 16, No. 2